L Number	Hits	Search Text	DB	Time stamp
1	54790	("313").CLAS.	USPAT;	2004/05/01 17:16
1	31.50	(313 / . 3213 .	US-PGPUB	2001,00,01 21120
2	81	(("313").CLAS.) and (cold adj cathode adj fluorescent adj lamp ccfl)	USPAT; US-PGPUB	2004/05/01 17:17
3	25	(("313").CLAS.) and (cold adj cathode adj fluorescent adj lamp ccfl).ab,ti,clm.	USPAT;	2004/05/01 17:30
4	470	(313/485).CCLS.	US-PGPUB USPAT;	2004/05/01 17:30
5	841	(313/493).CCLS.	US-PGPUB USPAT;	2004/05/01 17:31
6	0	(313/693).CCLS.	US-PGPUB USPAT;	2004/05/01 17:31
7	0	(313/693).CCLS.	US-PGPUB USPAT;	2004/05/01 17:32
8	1059	(313/634).CCLS.	US-PGPUB USPAT; US-PGPUB	2004/05/01 17:32
_	0	("(ccflcoldadjcathodeadjfluorescentadj(lumi		a20014øD5áOjgú2d\$%").P1
-	87	(ccfl (cold adj cathode adj fluorescent adj lamp)) same (light adj guid\$5 near2 plate)	USPAT; US-PGPUB	2004/05/01 13:08
-	1414	(362/31,349/65).CCLS.	USPAT; US-PGPUB	2004/05/01 13:10
-	91	((362/31,349/65).CCLS.) and (curve\$4 angle\$4) near6 (lamp luminaire)	USPAT; US-PGPUB	2004/05/01 13:11
-	123		USPAT; US-PGPUB	2004/05/01 13:11
_	11	("4368504" "4673254" "5005108" "5057974" "5390085" "5390276" "5594830" "5667289" "5771328" "5926601" "5949505").PN.	USPAT	2004/05/01 13:34
_	0	6286971.URPN.	USPAT	2004/05/01 13:36
-	6	("4811507" "4860171" "4914553" "5178447" "5982090" "6064455").PN.	USPAT	2004/05/01 13:36
_	39	4974122.URPN.	USPAT	2004/05/01 13:37
-	10	6108060.URPN.	USPAT	2004/05/01 13:46
-	5	5845035.URPN.	USPAT	2004/05/01 13:48
-	3	("4212048" "4985809" "5729311").PN.	USPAT	2004/05/01 13:49
-	8	5619351.URPN.	USPAT	2004/05/01 13:50
_	9	("4729067" "4842378" "4974122" "4985809" "5057974" "5130898" "5134549" "5283673" "5363294").PN.	USPAT	2004/05/01 13:51
_	2	·	USPAT	2004/05/01 13:52
-		6231202.URPN.	USPAT	2004/05/01 13:54
-	6	("4842378" "4950053" "5990989" "6050704" "6108060" "6111622").PN.	USPAT	2004/05/01 13:54
-	1	6443582.URPN.	USPAT	2004/05/01 13:55
_	11	("4714983" "4965950" "5136483" "5375043" "5422751" "5590945" "5791757" "5876107" "5890794"	USPAT	2004/05/01 13:55
		"6102559" "6305813").PN.		
-	8	5949505.URPN.	USPAT	2004/05/01 13:56
-	37	4842378.URPN.	USPAT	2004/05/01 13:57
-	0	6669356.URPN.	USPAT	2004/05/01 14:01
-	4	("4918577" "5727862" "5949505" "6068381").PN.	USPAT	2004/05/01 14:01
-	6	5764493.URPN	USPAT	2004/05/01 14:02
	9 13	5667289.URPN.	USPAT	2004/05/01 14:03
	13	("3892959" "3968584" "4568179" "4630895" "4648690" "4729068" "4811507" "4842378" "4860171"	USPAT	2004/05/01 14:04
		"4933814" "5124890" "5134549" "5136483") PN		
_	0	"5136483").PN. 6674250.URPN.	USPAT	2004/05/01 14-07
_	18	("4447756" "4714983" "4767965"	USPAT	2004/05/01 14:07 2004/05/01 14:07
	-	"5043627" "5147127" "5343155"		2501/55/01 14.0/
	ĺ	"5619351" "5659410" "5672936"		
		"5815277" "5899552" "5971567"		
		"5975722" "6023131" "6042241"		
	<u> </u>	"6050704" "6053619" "6120160").PN.		
Search Mic		1/04 5.22.00 DM Dago 1		

Search History 5/1/04 5:33:08 PM Page 1

-	0	ching-huang-lin.in.	USPAT;	2004/05/01 14:31
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	lin-ching-huang.in. huang-hua-nan.in.	USPAT;	2004/05/01 14:31
			US-PGPUB;	•
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	64	toppoly.as.	USPAT;	2004/05/01 14:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	3	'	USPAT;	2004/05/01 14:59
		(backlight back adj light) and (diffusing	US-PGPUB;	
		light) adj (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	74	((,)	USPAT;	2004/05/01 15:01
	1	and (backlight back adj light) and	US-PGPUB;	
		(diffusing light) near3 (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/05
-	17	((curve\$4 bent) near3 shap\$6) near4 (lamp	USPAT;	2004/05/01 14:45
	1	luminaire) and (backlight back adj light)	US-PGPUB;	
	1	and (diffusing light) near3 (guide bar	EPO; JPO;	
	1	plate)	DERWENT;	
			IBM_TDB	0001/07/01
-	22	((curve\$4 bent) near3 shap\$6) near4 (lamp	USPAT;	2004/05/01 14:45
		luminaire) and (backlight back adj light)	US-PGPUB;	
ļ		and (diffusing light) near3 (guide bar	EPO; JPO;	
		plate)	DERWENT;	
		(/	IBM_TDB	0004/05/01 15 01
_	22	((curve\$4 bent) near3 shap\$6) near4 (lamp	USPAT;	2004/05/01 15:01
		luminaire) and (((curve\$4 bent) near3	US-PGPUB;	
		shap\$6) near4 (lamp luminaire) and	EPO; JPO;	
		(backlight back adj light) and (diffusing	DERWENT;	
	10	light) near3 (guide bar plate))	IBM_TDB	0004/05/01 14 50
-	10	((U C) adj shap\$6) near4 (lamp luminaire) and (backlight back adj light) and	USPAT; US-PGPUB;	2004/05/01 14:50
		(diffusing light) near3 (guide bar plate)	•	
		not (((U C) adj shap\$6) near4 (lamp	EPO; JPO; DERWENT;	
		luminaire) and (backlight back adj light)	IBM TDB	
		and (diffusing light) near3 (guide bar	ממיד-ייחד	
		plate))		
-	10	((U C) adj shap\$6) near4 (lamp luminaire)	USPAT;	2004/05/01 14:54
		and (((U C) adj shap\$6) near4 (lamp	US-PGPUB;	2004/00/01 14.04
		luminaire) and (backlight back adj light)	EPO; JPO;	
		and (diffusing light) near3 (guide bar	DERWENT;	
1		plate) not (((U C) adj shap\$6) near4 (lamp	IBM TDB	
]		luminaire) and (backlight back adj light)		
]		and (diffusing light) near3 (quide bar		
		plate)))		
-	2	6494586.pn.	USPAT;	2004/05/01 14:54
		× · P ·	US-PGPUB;	-301,03,01 11.04
			EPO; JPO;	
]			DERWENT;	
			IBM TDB	
-	1	6494586.pn.	USPAT;	2004/05/01 14:54
		•	US-PGPUB;	= 30 2, 00, 02 23 03
			EPO; JPO;	
			IBM TDB	
-	0	6494586.URPN.	USPAT	2004/05/01 14:54
-	5	("4729067" "5038227" "5781311"	USPAT	2004/05/01 14:54
]		"6185011" "6339418").PN.		
-	4	(C adj shap\$6) near4 (lamp luminaire) and	USPAT;	2004/05/01 14:59
		(diffusing light) adj (guide bar plate)	US-PGPUB;	311, 10, 01 21.00
			EPO; JPO;	
]			DERWENT;	
		j	IBM TDB	

-	4	(C adj shap\$6) near4 (lamp luminaire) and	USPAT;	2004/05/01 15:00
		(diffusing light) adj (guide bar plate)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	9	(hauce) named (lamm luminaina) and	IBM_TDB USPAT;	2004/05/01 15:00
-	9	(bow\$5) near4 (lamp luminaire) and (diffusing light) adj (guide bar plate)	US-PGPUB;	2004/03/01 13:00
		(diffusing fight) adj (guide bar place)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	(bow) with (lamp luminaire) and (backlight	USPAT;	2004/05/01 15:07
		back adj light) and (diffusing light)	US-PGPUB;	2001, 00, 01 1010,
		near3 (guide bar plate)	EPO; JPO;	
		. ,	DERWENT;	
			IBM TDB	
_	64		USPAT;	2004/05/01 15:14
		and (backlight back adj light) and	US-PGPUB;	
		(diffusing light) near3 (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0001/05/01 15 11
-	204		USPAT;	2004/05/01 15:14
		(backlight back adj light) and (diffusing light) near3 (guide bar plate)	US-PGPUB; EPO; JPO;	
		light, hears (guide bar place)	DERWENT;	
			IBM TDB	
l _	184	(arc arcuate) near5 (lamp luminaire) and	USPAT;	2004/05/01 15:14
	104	(backlight back adj light) and (diffusing	US-PGPUB;	2001, 00, 01 10.14
		light) near3 (guide bar plate)	EPO; JPO;	
		alghe, hours (gards but proces,	DERWENT;	
			IBM TDB	
-	254	(arc arcuate) near5 (lamp luminaire) and	USPAT;	2004/05/01 15:15
		(backlight back adj light) and (diffusing	US-PGPUB;	
		light) near3 (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	222	(arc arcuate) near4 (lamp luminaire) and	USPAT;	2004/05/01 15:16
		(backlight back adj light) and (diffusing	US-PGPUB;	
		light) near3 (guide bar plate)	EPO; JPO; DERWENT;	
			IBM TDB	
_	222	(arc arcuate) near4 (lamp luminaire) and	USPAT;	2004/05/01 15:16
		((arc arcuate) near4 (lamp luminaire) and	US-PGPUB;	2001, 00, 01 10.10
		(backlight back adj light) and (diffusing	EPO; JPO;	
		light) near3 (guide bar plate))	DERWENT;	
			IBM_TDB	
-	10	(arc arcuate) near5 shap\$6 near4 (lamp	USPAT;	2004/05/01 15:16
		luminaire) and ((arc arcuate) near4 (lamp	US-PGPUB;	
		luminaire) and (backlight back adj light)	EPO; JPO;	
		and (diffusing light) near3 (guide bar	DERWENT;	
_	11	plate)) (arc arcuate) near5 shap\$6 near7 (lamp	IBM_TDB USPAT;	2004/05/01 15:17
		(arc arcuate) hears shapso hear/ (lamp luminaire) and ((arc arcuate) hear4 (lamp	US-PGPUB;	2004/03/01 13:1/
		luminaire) and ((are aredate) hear4 (lamp luminaire) and (backlight back adj light)	EPO; JPO;	
		and (diffusing light) near3 (guide bar	DERWENT;	
1		plate))	IBM TDB	
-	274	(arc arcuate) with (lamp luminaire) and	USPAT;	2004/05/01 15:18
		(backlight back adj light) and (diffusing	US-PGPUB;	
1		light) near3 (guide bar plate)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	(arc arcuate) near5 shap\$6 near7 (lamp	USPAT;	2004/05/01 15:25
		luminaire) and ((arc arcuate) with (lamp	US-PGPUB;	
		luminaire) and (backlight back adj light)	EPO; JPO;	
		<pre>and (diffusing light) near3 (guide bar plate))</pre>	DERWENT; IBM TDB	
_	4		USPAT;	2004/05/01 15:27
	"	(backlight back adj light) and (diffusing	US-PGPUB;	2007/03/01 13:2/
	.	light) near3 (guide bar plate)	EPO; JPO;	
		J ., (J	DERWENT;	
			IBM TDB	
		·		

_	4	(arch) with (lamp luminaire) and ((arch)	USPAT;	2004/05/01 15:	:24
		with (lamp luminaire) and (backlight back	US-PGPUB;		
		adj light) and (diffusing light) near3	EPO; JPO;		
		(guide bar plate))	DERWENT;		- 1
		(garas zar prace,,	IBM TDB		- 1
_	0	(serpentine) with (lamp luminaire) and	USPAT;	2004/05/01 15:	. 24
-				2004/03/01 13.	. 2 4
		((arch) with (lamp luminaire) and	US-PGPUB;		
İ		(backlight back adj light) and (diffusing	EPO; JPO;	ł	
	i	light) near3 (guide bar plate))	DERWENT;		
			IBM_TDB		
-	3		USPAT;	2004/05/01 15:	:26
		luminaire) and ((arc arcuate) with (lamp	US-PGPUB;		1
		luminaire) and (backlight back adj light)	EPO; JPO;		
		and (diffusing light) near3 (guide bar	DERWENT;		
		plate))	IBM TDB		i
_	0	(wavy) near5 shap\$6 near7 (lamp luminaire)	USPAT;	2004/05/01 15:	:26
		and ((arc arcuate) with (lamp luminaire)	US-PGPUB;		
		and (backlight back adj light) and	EPO; JPO;		ľ
		(diffusing light) near3 (guide bar plate))	DERWENT;		
		(diffuoing figure, nouts (guide but place),	IBM TDB		
I _	0	 (lunar) near5 shap\$6 near7 (lamp	USPAT;	2004/05/01 15:	.26
_	l	(lumar) hears shapse hear/ (lamp luminaire) and ((arc arcuate) with (lamp	US-PGPUB;	- 5004/02/01 T2:	, 20
		luminaire) and (backlight back adj light)	EPO; JPO;		
		and (diffusing light) near3 (guide bar	DERWENT;		
		plate))	IBM_TDB		
-	214		USPAT;	2004/05/01 15:	:27
		and (backlight back adj light) and	US-PGPUB;		- 1
1		(diffusing light) near3 (guide bar plate)	EPO; JPO;		l
			DERWENT;		ľ
	}		IBM_TDB		
-	17		USPAT;	2004/05/01 15:	:27
		(backlight back adj light) and (diffusing	US-PGPUB;		
		light) near3 (guide bar plate)	EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	1	cho-guang-sup.as.	USPAT;	2004/05/01 16:	: 05 l
			US-PGPUB;	, ,	
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	4	6674250.pn.	USPAT;	2004/05/01 16:	. 05
	1	00/4250.pm.	US-PGPUB;	2004/05/01 10.	. 03
			EPO; JPO;		- 1
			i		- 1
1			DERWENT;		
	-	6674250 mm	IBM_TDB	2004/05/01 16	ا م
-	1	6674250.pn.	USPĀT	2004/05/01 16:	
-	1	5949505.pn.	USPAT	2004/05/01 16:	
-	1	5949505.pn. and bright\$6 same edge	USPAT	2004/05/01 16:	
-	1	5949505.pn. and bright\$6 same corner	USPAT	2004/05/01 16:	
-	1	5949505.pn. and bend\$6 same corner	USPAT	2004/05/01 16:	
] -	1		USPAT	2004/05/01 16:	41
		light near2 (guide plate)			
-	0	Fire order (Formander Formander)	USPAT	2004/05/01 16:	41
		light near2 (guide plate)			İ
-	1		USPAT	2004/05/01 16:	:58
		fluorescent)			
-	0	(cho-guang-sup.as.).CLAS.	USPAT;	2004/05/01 17:	13
			US-PGPUB		
-	1	("0000313").PN.	USPAT;	2004/05/01 17:	13
			US-PGPUB		
-	0	(cho-guang-sup.as.).CLAS.	USPAT;	2004/05/01 17:	13
]			US-PGPUB		
-	0	(cho-guang-sup.as.).CLAS.	USPAT	2004/05/01 17:	13
					لـــــــــــــــــــــــــــــــــــــ